

according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

## Enrituals Designer Fragrance Fabric Conditioner Iconic Version: Amethyst

Issue Date:

2020-08-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Chemical name/ trade name: Enrituals Designer Fragrance Fabric Conditioner Iconic

**Amethyst** 

Producer: Zenit, spol. s r.o.

Address: Čáslav, 286 01, Pražská 162, Czech Republic

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended use: Fabric softener. Intended for sale to consumers and for professional/industrial use.

Uses advised against: The use should be limited to those listed above.

1.3 Details of the supplier of the safety data sheet

Supplier of SDS: Zenit, spol. s r.o.

Address: Čáslav, 286 01, Pražská 162, Czech Republic

Identification No.: 44707070

Tel: +420 327 304 890

www: www.zenit-caslav.cz msds@zenit-caslav.cz

1.4 Emergency telephone number

Toxicological Information Centre: City Hospital, Dudley Rd, Birmingham, United

Kingdom, Tel.: +44 121 507 4123, 844 892 0111

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

### 2.1.1 Classification according to the EC Regulation No. 1272/2008 (CLP):

The mixture is not classified as hazardous.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]:

Hazard pictogram(s):

---

Signal word(s):

Hazard statement(s): ----

Precautionary statement(s):

P102 Keep out of reach of children.

Supplemental information: EUH208 Contains Methylchloroisothiazolinone , Methylisothiazolinone. May produce an

allergic reaction.

2.3 Other hazards

See section 12.5.



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

### **SECTION 3:** Composition/information on ingredients

### 3.1 Substances

3.2 Mixtures

Name of the component	Content (weight %)	CAS EINECS Index N° Reg. Number	Classification ac Regulation (EC) No 1	-
Propan-2-ol	0.6-1.2	67-63-0 200-661-7 603-117-00-0 01-2119457558-25-0000	Eye Irrit. 2 Flam. Liq. 2 STOT SE 3	H319 H225 H336
2-Methyl-1,2-thiazol-3(2H)-one - 5- chloro-2-methyl-1,2-thiazol-3(2H)-one (=Methylchloroisothiazolinone, Methylisothiazolinone)	0.00015 - < 0.0015	55965-84-9 - 613-167-00-5 01-2120764691-48-0000	Acute Tox. 2 Acute Tox. 2 Acute Tox. 3 Aquatic Acute 1 M-factor: 100 Aquatic Chronic 1 M-factor: 100 Eye Dam. 1 $SCL: C \ge 0.6\%$ Eye Irrit. 2 $SCL: 0.06\% \le C \le 1\%$ Skin Corr. 1C $SCL: C \ge 0.6\%$ Skin Irrit. 2 $SCL: 0.06\% \le C \le 1\%$ Skin Sens. 1A $SCL: C \ge 0.0015\%$ $0.00015\% \ge C$ $<0.0015\%$	H330 H310 H301 H400 H410 H318 H319 H314 H315 H317 H317

For full text of H-statements see SECTION 16.

### SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: If while you are working with the product appear symptoms that need to be solved in

collaboration with the doctor, tell him about the product name and its supplier or give him MSDS or the product label on the packaging. Do not smoke, eat or drink while working with the product. Observe the principles of personal hygiene. Remove contaminated clothing and protective equipment. Wash it before using it again.

Inhalation: Move affected person to fresh air, keep him calm, prevent hypothermia.

Skin contact: Take off all contaminated clothing. Wash thoroughly with soap and water and treat with

a suitable cream. In case of inadequate washing, further irritation may occur.

Eye contact: Immediately rinse eyes with running water, open eyelids. If the contact lenses are used,

remove them carefully and continue to rinse, the affected eye wide open from the inner corner to the outer, so that the second eye is not affected and also under the lids for at

least 15 minutes. If symptoms persist, seek medical advice.

Page 2 from 13



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

## **Enrituals Designer Fragrance Fabric Conditioner Iconic** Version: **Amethyst**

Issue Date:

2020-08-18

Ingestion: Rinse mouth with water, do not induce vomiting. Do not give anything by mouth to an

unconscious person; Place the person in a stabilized position and seek immediate

medical attention.

Protection of first aiders: Pay attention to personal safety during rescue work.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: May cause skin irritation to sensitive people. May produce an allergic reaction.

Eye contact: May cause eye irritation to sensitive people.

Indication of any immediate medical attention and special treatment needed

In general, it is recommended to seek immediate medical attention in case of eye contact and ingestion. Furthermore, when irritating effects persist on the skin.

**SECTION 5:** Firefighting measures

**Extinguishing media** 

Water mist, powder, foam, CO2. Suitable extinguishing media:

Unsuitable extinguishing media: Strong water jet.

5.2 Special hazards arising from the substance or mixture

Combustion products and hazardous gases: smoke, carbon monoxide, carbon dioxide. Remove closed containers, if possible, from near fires and cool them with water mist.

5.3 Advice for firefighters

Rescue teams exposed to smoke or gases must be equipped with means for eye and respiratory protection, protective clothing. In confined spaces it is necessary to use a breathing apparatus. Containers exposed to fire cool with water mist. Do not spray water directly into the container to prevent excessive foaming. Collect extinguishing

water separately, and avoid its penetration into the soil and water.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Prevent contamination of clothing and footwear by product and contact with skin and eyes. Wear suitable protective clothing, replace contaminated clothing. Ensure ventilation of the affected area. All persons not participating in rescue work should be

taken to a safe distance.

6.2 **Environmental precautions** 

Avoid leakage into the environment, soil, avoid ingress into surface water and sewers. In

case of leakage, inform the water / sewer manager and the relevant authorities

immediately.

Methods and material for containment and cleaning up 6.3

In case of leakage, locate and, if possible, drain or mechanically remove product, withdraw from the surface of the water. Allow residuals or smaller amounts to be absorbed in a suitable sorbent (kieselguhr, sand) and placed it in suitable and labelled containers and handed over to recycling / disposal of in accordance with applicable

regulations.

Reference to other sections

See section 7, 8 a 13.

SECTION 7: Handling and storage

Precautions for safe handling



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date:

2020-08-18

Avoid contact with skin and eyes. Use appropriate PPE. Use only in well-ventilated areas with fresh air supply. Do not eat, drink, smoke. Wash your hands after work. Do not inhale vapours. Comply with regulations on health and safety at work. All fire precautions must be observed during handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a vertical position to prevent leakage. Store in original packaging, in dry, well-ventilated, cool place. Do not store together with strong oxidising agents. Do not store together with food, beverage and medicines. Store at +5 to +25 °C.

7.3 Specific end use(s)

see section 1.2

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Exposure limits: According to national legislation of target country.

Substance	CAS	limits	permissible	Note
Propan-2-ol	67-63-0	999	1250	

Substances with Community Exposure Limits:

Union occupational exposure limit values in accordance with Directive 2000/39/EC (as amended).

		Limit values		
Substance	CAS	OEL (mg/m³)	STEL (mg/m³)	Note
No data available.				

**DNEL:** 

Propan-2-ol (CAS: 67-63-0)

Exposed group and route of exposure	Duration of exposure	Type of effect	Unit	Value	
Workers	- Workers				
Inhalation	Long-term (chronic)	systemic	mg/m³	500	
Dermal	Long-term (chronic)	systemic	mg/kg <sub>bw/d</sub>	888	
Consumers					
Inhalation	Long-term (chronic)	systemic	mg/m³	89	
Dermal	Long-term (chronic)	systemic	mg/kg <sub>bw/d</sub>	319	
Oral	Long-term (chronic)	systemic	mg/kg <sub>bw/d</sub>	26	

### 2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one (CAS: 55965-84-9)

Exposed group and route of exposure	Duration of exposure	Type of effect	Unit	Value
Workers				
Inhalation	Long-term (chronic)	systemic	mg/m³	-



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

เเเเสเสนบเเ	Long-term (chronic)	local	mg/m³	0.02
Consumers				
Labatata.	Long torm (chronic)	systemic	mg/m³	-
Inhalation	Long-term (chronic)	local	mg/m³	0.02
Oral	Long-term (chronic)	systemic	mg/kg <sub>bw/d</sub>	0.09

PNEC:

Propan-2-ol (CAS: 67-63-0)

Component of the enviro	nment	PNEC	Unit	Value
	Freshwater	PNEC water, fresh.	mg/L	140.9
	Freshwater, occasional leakage	PNEC water, fresh.	mg/L	140.9
Water environment	Freshwater sediment	PNEC sed., fresh.	mg/kg sediment dw	552
	Seawater	PNEC water, mar.	mg/L	140.9
	Marine sediment	PNEC sed., mar.	mg/kg sediment dw	552
Microbiological activity	Wastewater treatment plant	PNEC sew. treat.	mg/L	2 251
Terrestrial environment /	Soil	DNEC	ma/ka	28
organisms	3011	PNEC soil	mg/kg <sub>soil dw</sub>	28
Food chain	Predators	PNEC oral.	mg/kg food	160

### 2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one (CAS: 55965-84-9)

Component of the environ	nment	PNEC	Unit	Value
	Freshwater	PNEC water, fresh.	μg/L	3.39
	Freshwater, occasional leakage	PNEC water, fresh.	μg/L	3.39
Water environment	Freshwater sediment	PNEC sed., fresh.	mg/kg sediment dw	0.027
	Seawater	PNEC water, mar.	μg/L	3.39
	Marine sediment	PNEC sed., mar.	mg/kg sediment dw	0.027
Microbiological activity	Wastewater treatment plant	PNEC sew. treat.	mg/L	0.23
Terrestrial environment /	Soil	PNEC soil	mg/kg <sub>soil dw</sub>	0.01
organisms	3011	FNLC soil	iiig/ kg soil dw	0.01

 ${\tt DNELs\ and\ PNECs\ values\ for\ the\ other\ components\ of\ the\ mixture\ haven't\ been\ determined.}$ 

### 8.2 Exposure controls

Technical measures: Technical measures and appropriate work procedures take precedence over personal

protective equipment. Observe the usual hygiene principles. Do not eat, drink, smoke.

Before breaks and after work wash your hands with warm water and soap. \\

**Individual protection measures** 

Respiratory protection:

Hand protection:

Not necessary for normal use and handling.

Not necessary for normal use and handling.

Not necessary for normal use and handling.

Skin protection:

Not necessary for normal use and handling.

Thermal hazards: None.

Environmental exposure controls: Avoid unnecessary releases into the environment.

Page 5 from 13



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance: State: Liquid
Colour: White

Odour: No data available.
Odour threshold: No data available.

pH: 3.5 - 5.5

Melting point / freezing point (°C): No data available. Initial boiling point and boiling range No data available.

(°C):

Flash point (°C): > 95

Evaporation rate: No data available. Flammability (solid, gas): No data available. Upper/lower flammability or explosive No data available.

limits:

Vapour pressure (20 °C):

Vapour pressure (50 °C):

No data available.

1.005-1.0015

Solubility(ies) (20 °C):

Soluble

Partition coefficient: n-octanol/water: No data available.
Auto-ignition temperature: No data available.
Decomposition temperature: No data available.
Viscosity (20 °C): No data available.
Refractive index (20 °C): No data available.
Oxidising properties: No data available.
Explosive properties: No data available.

9.2 Other information

VOC (%): 0

Dry matter content: No data available.

Additional information: No data available.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** The product is stable at the specified conditions of storage, handling and use.

**10.2 Chemical stability** The product is stable at the specified conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions** With proper use, there is no hazardous reactions.

**10.4 Conditions to avoid**They are not subject to prescribed use and storage.

**10.5** Incompatible materials None if the mixture is used as intended.

**10.6** Hazardous decomposition products Carbon oxides.

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects Individual components

Propan-2-ol (CAS: 67-63-0)



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# **Enrituals Designer Fragrance Fabric Conditioner Iconic** <sub>Version:</sub> **Amethyst**

Issue Date: 2020-08-18

### Acute toxicity:

Test type	Results	Exposure	Tested organisms
OECD 401, key study	5.84 , LD50	oral: unspecified	rat
OECD 402, key study	16.4 mL/kg bw, LD50	dermal.	rabbit
	ca. 5 000 ppm, other: ca. 10 000 ppm, other: > 10 000 ppm, LC50	inhalation: vapour	rat

## Serious eye damage / irritation:

Test type	Results	Exposure	Tested organisms
OECD 405, key study	Category II	Eye	rabbit

### Skin corrosion / irritation:

Test type	Results	Exposure	Tested organisms
key study	other: Not classified	Skin	rabbit

### Respiratory or skin sensitisation:

Test type	Results	Exposure	Tested organisms
OECD 406, key study	not sensitising	Skin	guinea pig

### STOT - single exposure:

Test type	Results	Exposure	Tested organisms
	No data available.		

### STOT - repeated exposure:

Test type	Results	Exposure	Tested organisms
	No data available.		

### Carcinogenicity:

Test type	Results	Exposure	Tested organisms
OECD 451, key study	5 000 ppm (nominal), NOEL	inhalation:	rat
OLOB 431, Key study	5 000 ppm (normal), NOEE	vapour	Tuc

### Germ cell mutagenicity:

Test type	Results	Exposure	Tested organisms
	No data available.		

## Reproductive toxicity:

Test type	Results	Exposure	Tested organisms
OECD 416, weight of evidence	500 mg/kg bw/day (actual dose		rat
	received), NOAEL		
	500 mg/kg bw/day (actual dose		
	received), NOAEL		lat
	1 000 mg/kg bw/day (actual		
	dose received), NOAEL		

Aspiration hazard:



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# **Enrituals Designer Fragrance Fabric Conditioner Iconic** <sub>Version:</sub> **Amethyst**

Issue Date: 2020-08-18

Test type	Results	Exposure	Tested organisms
	No data available.		

### 2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one (CAS: 55965-84-9)

Acute toxicity:

Test type	Results	Exposure	Tested organisms
OECD 423, key study	200 mg/kg bw, LD50	oral: gavage	rat
OECD 402, key study	> 141 mg/kg bw, other: > 1 008 mg/kg bw, LD50	dermal.	rat
IOECD 403 key study	2.36 mg/L air, LC50 0.33 mg/L air, LC50	inhalation: aerosol	rat

### Serious eye damage / irritation:

Test type	Results	Exposure	Tested organisms
key study	Category 1 (irreversible effects on the eye) based on GHS criteria	Eye	rabbit

### Skin corrosion / irritation:

Test type	Results	Exposure	Tested organisms
OECD 404, key study	corrosive	Skin	rabbit

### Respiratory or skin sensitisation:

Test type	Results	Exposure	Tested organisms
	Category 1A (indication of		
key study	significant skin sensitising	Skin	mouse
	potential) based on GHS criteria		

### STOT - single exposure:

Test type	Results	Exposure	Tested organisms
	No data available.		

### STOT - repeated exposure:

Test type	Results	Exposure	Tested organisms
OECD 409, key study	22 mg/kg bw/day (actual dose received), NOAEL	oral.	dog
OECD 413, key study	0.34 mg/m³ air (analytical), NOAEL 1.15 mg/m³ air (analytical), LOAEL	inhalation	rat
key study	2.625 mg/kg bw/day, NOAEL 0.105 mg/kg bw/day, NOAEL 0.525 mg/kg bw/day, LOAEL other: , NOAEL	dermal.	rat

Carcinogenicity:



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# **Enrituals Designer Fragrance Fabric Conditioner Iconic** <sub>Version:</sub> **Amethyst**

Issue Date: 2020-08-18

Test type	Results	Exposure	Tested organisms
IOECD 453, key study	300 ppm (nominal), NOEL 30 ppm (nominal), NOEL	oral: drinking water	rat

### Germ cell mutagenicity:

Test type	Results	Exposure	Tested organisms
OECD 475, key study	negative	oral: gavage	mouse

### Reproductive toxicity:

Test type	Results	Exposure	Tested organisms
	30 ppm, NOAEL		
	30 ppm, NOAEL		
OECD 416, key study		rat	
	300 ppm, NOEL	water	
	300 ppm, NOAEL		

### Aspiration hazard:

Test type	Results	Exposure	Tested organisms
	No data available.		

### Mixture:

Acute toxicity: It does not meet the classification criteria.

Serious eye damage / irritation: It does not meet the classification criteria.

Skin corrosion / irritation: It does not meet the classification criteria.

Respiratory or skin sensitisation: Contains Methylchloroisothiazolinone , Methylisothiazolinone. May produce an allergic

reaction.

STOT - single exposure:

STOT - repeated exposure:

It does not meet the classification criteria.

Carcinogenicity:

It does not meet the classification criteria.

Germ cell mutagenicity:

It does not meet the classification criteria.

Reproductive toxicity:

It does not meet the classification criteria.

Reproductive toxicity:

It does not meet the classification criteria.

Aspiration hazard:

It does not meet the classification criteria.

### SECTION 12: Ecological information

## 12.1 Toxicity

It does not meet the classification criteria.

## Propan-2-ol (CAS: 67-63-0)

Toxicity	Tested organisms	Results	Test type	
Acute toxicity to fish	Pimephales promelas	10 000 mg/L, LC50 / 96 h	OECD 203	
Acute toxicity to fish	Filliephales profiletas	9 640 mg/L, LC50 / 96 h	OECD 203	
Acute toxicity to invertebrates	Daphnia magna	> 10 000 mg/L, LC50 / 24 h	OECD 202	
Acute toxicity to invertebrates	Dapnina magna	5 000 mg/L, LC0 / 24 h		
Acute toxicity to aquatic algae	Scenedesmus quadricauda	1 800 mg/L, other: / 7 d		

2-Methyl-1,2-thiazol-3(2H)-one - 5-chloro-2-methyl-1,2-thiazol-3(2H)-one (CAS: 55965-84-9)



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

Toxicity	Tested organisms	Results	Test type
Acute toxicity to fish	Oncorhynchus mykiss (previous	0.19 mg/L, LC50 / 96 h	
Acute toxicity to fish	name: Salmo gairdneri)	0.13 mg/L, NOEC / 96 h	
Acute toxicity to invertebrates	Daphnia magna	0.18 mg/L, LC50 / 48 h	
Acute toxicity to invertebrates	Duprima magna	0.16 mg/L, EC50 / 48 h	
		0.49 μg/L, NOEC / 48 h	
Acute toxicity to aquatic algae	Skeletonema costatum	19.9 μg/L, EC50 / 72 h	OECD 201
		37.1 μg/L, EC50 / 48 h	

Acute toxicity to aquatic algae	Pseudokirchneriella subcapitata	0.502 mg/L, NOEC / 72 h	OECD 201
Acute toxicity to aquatic algae	(previous names: Raphidocelis	1.29 mg/L, EC50 / 72 h	OECD 201

**12.2** Persistence and degradability No data available.

**12.3 Bioaccumulative potential** No data available.

**12.4 Mobility in soil** No data available.

12.5 Results of PBT and vPvB assessment This mixture does not contain any substances which are classified as PBT or vPvB.

**12.6** Other adverse effects No hazardous effects on the environment subject to classification are known.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Catalogue No. of mixture waste: 20 01 29 - Detergents containing dangerous substances.

Waste codes / waste designations

according to LoW:

15 01 10 - Packaging containing residues of or contaminated by dangerous substances.

Recommended procedure for mixture

waste disposal:

Remains of the mixture to be collected in labelled containers and handed over to a person authorized to handle hazardous waste. Suitable method of disposal: incineration

in hazardous waste incineration plant. If possible, regenerate the product.

Recommended procedure for packaging

disposal:

Empty containers must be disposed of in accordance with the applicable waste legislation. After perfect cleaning, the packaging can be used as a secondary raw

material for the same purpose. Recommended way of disposing of recycling, burning in

a hazardous waste incinerator or storing hazardous waste.

Physical / chemical properties that may

affect waste treatment method:

No data available.

Sewage disposal-relevant information: Protect against weathering. Prevent leakage of waste into the water / soil / sewage

system. In case of leakage, inform the competent authorities.

Other disposal recommendations: Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

	Type of transport	Land transport ADR/RID	Sea transport IMDG	Air Transport ICAO / IATA
14.1	UN number			



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

	UN proper shipping name	There is no dangerous good in terms of transport.		
	Transport hazard class(es)			
	Classification code		-	-
	EmS	-		-
	Packaging instructions			
	Labels			
14.4	Packing group			

14.5 Environmental hazards

No.

14.6 Special precautions for user

No.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) on classification, labelling and packaging of substances and mixtures,...

Regulation (EC) No. 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),...

Applicable national regulations.

### 15.2 Chemical safety assessment

Chemical safety assessment has not been performed for the substance.

### SECTION 16: Other information

### Complete text of all classifications and hazard classes referred to in SECTION 3

**Hazard class:** Eye Irrit. 2 - Eye irritation, category 2

Flam. Liq. 2 - Flammable liquids, category 2

STOT SE 3 - Specific target organ toxicity — single exposure, category 3

Acute Tox. 2 - Acute Toxicity, category 2 Acute Tox. 3 - Acute Toxicity, category 3

Aquatic Acute 1 - Acute aquatic toxicity, category 1

Aquatic Chronic 1 - Chronic (long term) aquatic hazard, category 1

Eye Dam. 1 - Serious eye damage, category 1 Skin Corr. 1C - Skin corrosion, category 1C Skin Irrit. 2 - Skin irritation, category 2 Skin Sens. 1A - Skin sensitisation, category 1A

**H-statements:** H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date: 2020-08-18

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### **Abbreviations:**

ADN Inland waterways

ADR Accord Dangereuses Route
CAS Chemical Abstracts Service
DNEL Derived no-effect level
EC50 Effect concentration for 50%

EINECS European Inventory of Existing Commercial Chemical Substances

EL50 Effect level for 50%

IATA International Air Transport Association
IC50 Inhibition concentration for 50%
ICAO International Civil Aviation Organization

IL 50 Inhibition load for 50%

IMDG International Maritime Dangerous Goods

LC50 Lethal concentration for 50%

LD50 Lethal dose for 50% LL50 Lethal load for 50%

LOAEC Lowest observable adverse effect concentration

LOAEL Lowest observable adverse effect level LOEC Lowest observable effect concentration

LOEL Lowest observable effect level

NEL No effect level

NOAEC No observable adverse effect concentration

NOAEL No observable adverse effect level NOEC No observable effect concentration

NOEL No observable effect level

NPK-P Maximum permissible concentration

OEL Occupational Exposure Limit (workplace exposure limit - 8 hours / shift)

PBT Persistent, bioacumulative and toxic

PEL Permissible exposure limits
PNEC Predicted no-effect concentration

RID Regulations for the International Carriage of Dangerous Goods by Rail

SCL Specific concentration limits

STEL Short Term Exposure Limit (short exposure - corresponds to approx. 15 min.)

TT Toxic threshold

VOC Volatile organic substances

vPvB Very persistent and very bioacumulative

WGK Hazard classes for water (Wassergefährdungsklassen)

### Indication of changes:

This revision is the first issue according to Regulation (EC) no. 1272/2008 (CLP).

Key literature references and sources for data: Manufacturer informations; database CASEC

Classification was performed by calculation method.

### Instructions for training:

Workers who come into contact with hazardous substances/mixtures must be in the necessary extent informed about the effects of these substances/mixtures, about the ways how to deal with them.



according to Regulation No. 1907/2006 (REACH) and Commission Regulation (EU) 2015/830

# Enrituals Designer Fragrance Fabric Conditioner Iconic <sub>Version:</sub> Amethyst

Issue Date:

2020-08-18

Workers must be in the necessary extent informed with protective measures, the principles of first aid, with the necessary sanitation practices and procedures for liquidation of failures and accidents.

A person dealing with this chemical product must be familiar with the safety rules and the data given in the MSDS.

If the hazardous chemical substance / mixture is classified as corrosive or toxic, workers must be familiar with the rules for handling with corrosive / toxic chemical substance/mixture.

Persons transporting hazardous substances must be familiar with the guidelines for emergency response in accordance with the regulations of ADR / RID.

### Other information:

The above information describes the conditions for safe handling and corresponds with current knowledge of the manufacturer.

The manufacturer bears responsibility for the above described properties of the product when used according to specifications. The user is responsible for determining suitability of product for specific purposes and adapt security measures if such application is contrary to the manufacturer's recommendations.